

	Hits	Search Text	DBs
1	5	pinkas-denis.in.	US-PGPUB; USPAT
2	4479	713/155-156,168,170,175-176,181,192;380/30,44,277,279-280.ccls.	US-PGPUB; USPAT
3	410	713/155-156,168,170,175-176,181,192;380/30,44,277,279-280.ccls. and cryptographic near2 (co\$1processor\$1 or module\$1 or component\$1 or device\$1 or facilit\$3)	US-PGPUB; USPAT
4	31	(713/155-156,168,170,175-176,181,192;380/30,44,277,279-280.ccls. and cryptographic near2 (co\$1processor\$1 or module\$1 or component\$1 or device\$1 or facilit\$3)) and (key\$1 near3 generat\$3) and ((control near2 vector\$) or ((constraint\$2 or restrict\$3) near3 (key near usage)))	US-PGPUB; USPAT
5	2	((713/155-156,168,170,175-176,181,192;380/30,44,277,279-280.ccls. and cryptographic near2 (co\$1processor\$1 or module\$1 or component\$1 or device\$1 or facilit\$3)) and (key\$1 near3 generat\$3) and ((control near2 vector\$) or ((constraint\$2 or restrict\$3) near3 (key near usage)))) and (certificat\$3 near3 request)	USPAT
6	862	713/155-156,168,170,175-176,181,192;380/30,44,277,279-280.ccls. and ((diversif\$7 or variant\$1 or deriv\$5) near4 key\$1)	US-PGPUB; USPAT
7	27	713/155-156,168,170,175-176,181,192;380/30,44,277,279-280.ccls. and (diversif\$7 near4 key\$1)	US-PGPUB; USPAT
8	37	"4811393".URPN.	USPAT
9	1	("5200999").PN.	USPAT; USOCR

	Hits	Search Text	DBs
10	37	matyas-stephen-m.in. and (cryptographic near2 (co\$1processor\$1 or module\$1 or component\$1 or device\$1 or facilit\$3))	US-PGPUB; USPAT
11	0	(matyas-stephen-m.in. and (cryptographic near2 (co\$1processor\$1 or module\$1 or component\$1 or device\$1 or facilit\$3))) and ((diversifi\$6 or mother) near3 key\$1)	US-PGPUB; USPAT
12	10	((diversifi\$6 or mother) near3 key\$1) with (public or private)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	65	((group or mother) near2 public key) same (diversified near2 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	1	((group or mother) near2 ("public key" or "private key")) same (diversified near2 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	230	((group or mother) near2 ("public key" or "private key"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	3	((group or mother) near2 ("public key" or "private key")) and (diversified near2 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	1	fiat.in. and shamir.in.	USPAT
18	3	guillou.in. and quisquater.in.	USPAT
19	42	713/155-156,168,170,175-176,181,192;380/30,44,277,279-280.ccls. and (cryptographic near2 (co\$1processor\$1 or module\$1 or component\$1 or device\$1 or facilit\$3) same manufacture)	US-PGPUB; USPAT

	Hits	Search Text	DBs
20	2	(713/155-156,168,170,175-176,181,192;380/30,44,277,279-280.ccls. and (cryptographic near2 (co\$1processor\$1 or module\$1 or component\$1 or device\$1 or facilit\$3) same manufacture)) and (cryptographic near2 (co\$1processor\$1 or module\$1 or component\$1 or device\$1 or facilit\$3) near5 (set\$1 or batch\$2))	US-PGPUB; USPAT
21	19	(set\$1 or batch\$2 or number or plural\$3 or multiple) near3 (cryptographic adj (co\$1processor\$1 or module\$1 or component\$1 or device\$1 or facilit\$3)) same (manufacture or produc\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	19	"4944007".URPN.	USPAT
23	42	"5586186".URPN.	USPAT
24	5	"5729609".URPN.	USPAT
25	6	"5745576".URPN.	USPAT
26	1	("5555309").PN.	USPAT; USOCR
27	4488	713/155-156,168,170,175-176,181,192;380/30,44,277,279-280.ccls.	US-PGPUB; USPAT
28	12	713/155-156,168,170,175-176,181,192;380/30,44,277,279-280.ccls. and ((certificat\$3 near5 request) with (manufacture or operator))	US-PGPUB; USPAT
29	4	713/155-156,168,170,175-176,181,192;380/30,44,277,279-280.ccls. and (manufacture near3 (publish\$3 or export\$3) near6 key\$1)	US-PGPUB; USPAT
30	10	(manufacture with (publish\$3 or export\$3) near6 key\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
31	22	(manufacture same (publish\$3 or export\$3) near6 key\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
32	2	austin-jeffrey-r.in.	USPAT
33	411	713/155-156,168,170,175- 176,181,192;380/30,44,277,279-280.ccls. and cryptographic near2 (co\$1processor\$1 or module\$1 or component\$1 or device\$1 or facilit\$3)	US-PGPUB; USPAT
34	28	(713/155-156,168,170,175- 176,181,192;380/30,44,277,279-280.ccls. and cryptographic near2 (co\$1processor\$1 or module\$1 or component\$1 or device\$1 or facilit\$3)) and ((manufacture\$1 or operator\$1 or bank\$1 or compan\$3 or enterprise\$1) near (id or identif\$))	US-PGPUB; USPAT
35	0	(cryptographic near2 (co\$1processor\$1 or module\$1 or component\$1 or device\$1 or facilit\$3)) with (manufacture near2 (id or identif\$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
36	84	(device near2 (id or identif\$)) with (manufacture near2 (id or identif\$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
37	19	((device near2 (id or identif\$)) with (manufacture near2 (id or identif\$))) and ((encrypt\$3 or decrypt\$ or crypto\$) near2 key\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
38	325	((public or encrypt\$3 or decrypt\$ or crypto\$) near2 key\$1) with manufacture	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
39	30	((public or encrypt\$3 or decrypt\$ or crypto\$) near2 key\$1) with manufacture) and (manufacture near2 (id or identif\$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
40	0	weak near3 (decrypt\$3 or encrypt\$3) with (des near 40\$1bit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
41	10	weak near3 (decrypt\$3 or encrypt\$3) with des	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
42	20	(certificat\$3 near2 request) with (template or format or syntax)	USPAT
43	655	((device near2 (id or identif)) or "serial number") with ((manufacture or vendor) near2 (id or identif\$ or information))	US-PGPUB; USPAT
44	151	((device near2 (id or identif)) or "serial number") with ((manufacture or vendor) near2 (id or identif\$ or information))) and (encrypt\$ or decrypt\$ or cryptograph\$)	US-PGPUB; USPAT
45	71	((device near2 (id or identif)) or "serial number") with ((manufacture or vendor) near2 (id or identif\$ or information))) and ((encrypt\$ or decrypt\$ or cryptograph\$) near2 key\$1)	US-PGPUB; USPAT
46	5	pinkas-denis.in.	US-PGPUB; USPAT
47	2	((713/155-156,168,170,175-176,181,192;380/30,44,277,279-280.ccls. and cryptographic near2 (co\$1processor\$1 or module\$1 or component\$1 or device\$1 or facilit\$3)) and (key\$1 near3 generat\$3) and ((control near2 vector\$) or ((constraint\$2 or restrict\$3) near3 (key near usage)))) and (certificat\$3 near3 request)	USPAT

	Hits	Search Text	DBs
48	30	713/155-156,168,170,175-176,181,192;380/30,44,277,279-280.ccls. and (diversif\$7 near4 key\$1)	US-PGPUB; USPAT
49	37	"4811393".URPN.	USPAT
50	37	matyas-stephen-m.in. and (cryptographic near2 (co\$1processor\$1 or module\$1 or component\$1 or device\$1 or facilit\$3))	US-PGPUB; USPAT
51	0	(matyas-stephen-m.in. and (cryptographic near2 (co\$1processor\$1 or module\$1 or component\$1 or device\$1 or facilit\$3))) and ((diversifi\$6 or mother) near3 key\$1)	US-PGPUB; USPAT
52	11	((diversifi\$6 or mother) near3 key\$1) with (public or private)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
53	1	((group or mother) near2 ("public key" or "private key")) same (diversified near2 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
54	4	((group or mother) near2 ("public key" or "private key")) and (diversified near2 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
55	1	fiat.in. and shamir.in.	US-PGPUB; USPAT
56	3	guillou.in. and quisquater.in.	US-PGPUB; USPAT
57	2	(713/155-156,168,170,175-176,181,192;380/30,44,277,279-280.ccls. and (cryptographic near2 (co\$1processor\$1 or module\$1 or component\$1 or device\$1 or facilit\$3) same manufacture)) and (cryptographic near2 (co\$1processor\$1 or module\$1 or component\$1 or device\$1 or facilit\$3) near5 (set\$1 or batch\$2))	US-PGPUB; USPAT

	Hits	Search Text	DBs
58	21	(set\$1 or batch\$2 or number or plural\$3 or multiple) near3 (cryptographic adj (co\$1processor\$1 or module\$1 or component\$1 or device\$1 or facilit\$3)) same (manufacture or produc\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
59	20	"4944007".URPN.	USPAT
60	44	"5586186".URPN.	USPAT
61	5	"5729609".URPN.	USPAT
62	7	"5745576".URPN.	USPAT
63	16	713/155-156,168,170,175-176,181,192;380/30,44,277,279-280.ccls. and ((certificat\$3 near5 request) with (manufacture or operator))	US-PGPUB; USPAT
64	4	713/155-156,168,170,175-176,181,192;380/30,44,277,279-280.ccls. and (manufacture near3 (publish\$3 or export\$3) near6 key\$1)	US-PGPUB; USPAT
65	10	(manufacture with (publish\$3 or export\$3) near6 key\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
66	27	(manufacture same (publish\$3 or export\$3) near6 key\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
67	2	austin-jeffrey-r.in.	US-PGPUB; USPAT
68	30	(713/155-156,168,170,175-176,181,192;380/30,44,277,279-280.ccls. and cryptographic near2 (co\$1processor\$1 or module\$1 or component\$1 or device\$1 or facilit\$3)) and ((manufacture\$1 or operator\$1 or bank\$1 or compan\$3 or enterprise\$1) near (id or identif\$))	US-PGPUB; USPAT

	Hits	Search Text	DBs
69	0	(cryptographic near2 (co\$1processor\$1 or module\$1 or component\$1 or device\$1 or facilit\$3)) with (manufacture near2 (id or identif\$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
70	21	((device near2 (id or identif\$)) with (manufacture near2 (id or identif\$))) and ((encrypt\$3 or decrypt\$ or crypto\$) near2 key\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
71	38	((public or encrypt\$3 or decrypt\$ or crypto\$) near2 key\$1) with manufacture) and (manufacture near2 (id or identif\$))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
72	0	weak near3 (decrypt\$3 or encrypt\$3) with (des near 40\$1bit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
73	11	weak near3 (decrypt\$3 or encrypt\$3) with des	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
74	28	(certificat\$3 near2 request) with (template or format or syntax)	USPAT
75	99	((device near2 (id or identif\$) or "serial number") with ((manufacture or vendor) near2 (id or identif\$ or information))) and ((encrypt\$ or decrypt\$ or cryptograph\$) near2 key\$1)	US-PGPUB; USPAT